

## Chapter 1

# AN INTRODUCTION TO EVIDENCE-BASED NURSING

Nicky Cullum, Donna Ciliska, Susan Marks  
and Brian Haynes

### **What is evidence-based nursing, and why is it important?**

The term 'evidence-based' is really very new. The first documented use of the term is credited to Gordon Guyatt and the Evidence Based Medicine Working Group in 1992.<sup>[1]</sup> They described *evidence-based medicine* as 'a new paradigm for medical practice', in which evidence from clinical research should be promoted over intuition, unsystematic clinical experience, and pathophysiology.<sup>[1]</sup> Shortly thereafter, the term was applied to many other aspects of health care practice and further afield. We now have evidence-based nursing, evidence-based physiotherapy,\* and even evidence-based policing<sup>[2]</sup> (see Box 1.1 for more examples)! Definitions vary, and sometimes the central concept becomes diluted, but at its core evidence-based 'anything' is concerned with using valid and relevant information in decision-making. In health care, most people agree that high-quality research is the most important source of valid information, along with information about the specific patient or population under

#### **Box 1.1** Examples of evidence-based everything<sup>[2]</sup>

Evidence-based medicine  
Evidence-based dentistry  
Evidence-based physiotherapy  
Evidence-based pharmacy  
Evidence-based conservation  
Evidence-based crime prevention  
Evidence-based education  
Evidence-based government  
Evidence-based librarianship  
Evidence-based social work  
Evidence-based software engineering  
Evidence-based sports


\* We will use the term 'evidence-based practice' to refer to the application of evidence-based principles in any aspect of health care practice.

## 2 ■ Evidence-based nursing

consideration. Evidence-based ways of thinking have emerged from the discipline of *clinical epidemiology*, which focuses on the application of epidemiological science to clinical problems and decisions (epidemiological science is the study of health and disease in populations). These roots in epidemiology have enabled the development of a clear-sighted framework for thinking about research and its application to decision-making, and it is these concepts and approaches that we discuss in this book.


*Evidence-based nursing* can be defined as the application of valid, relevant, research-based information in nurse decision-making. Research-based information is not used in isolation, however, and research findings alone do not *dictate* our clinical behaviour. Rather, research evidence is used alongside our knowledge of our patients (their symptoms, diagnoses, and expressed preferences) and the context in which the decision is taking place (including the care setting and available resources), and in processing this information we use our expertise and judgement. The inputs to evidence-based decision-making are depicted in Figure 1.1. Research has shown, however, that many practitioners simply don't see research evidence as being useful and accessible when making real-life clinical decisions.<sup>[3]</sup> The grand challenge is therefore showing how this can be achieved, and the quality of care enhanced.

Imagine that, as a community-based nurse, you are responsible for providing care to an otherwise fit 74-year-old man with a chronic venous leg ulcer. Your locally relevant, evidence-based, leg ulcer guideline tells you that high-compression bandaging,



**Figure 1.1** The components of an evidence-based nursing decision.

such as the four-layer bandage, should be the first line of treatment, is eminently deliverable in a community setting, and is cost-effective.<sup>[4]</sup> You have been trained, and are competent, in the application of this bandage and, therefore, proceed to prescribe it for this patient. Contrast this decision with an alternative scenario, one in which all variables are the same, except that you are inexperienced in bandage application. You know that poor bandage application technique can have disastrous consequences for the patient – including amputation. Under these circumstances, you decide to prescribe graduated compression hosiery (stockings) rather than bandages. You know that graduated compression hosiery applies a similar level of compression to the four-layer bandage, and, after determining that the patient is able to apply the stockings himself, you concede that these will also be the safer option given your lack of skill in bandaging. If your patient had arthritic hands and was unable to apply stockings, or did not have the facilities to wash the stockings, your decision would probably have been different (see Figure 1.2). At any given time, the research evidence informing a decision is a constant; however, you must use your professional judgement to determine how you will apply it to the patient in front of you. Obviously, it is also important to remember that, as new research is published, the evidence base will change, and you will need to become aware of important changes in evidence relevant to your practice (see Chapter 5 for information on alerting services).



**Figure 1.2** Resolution of a decision problem: how research evidence, judgement, patient preferences and circumstances, and knowledge about local resources interplay.

## Getting started with evidence-based nursing

---

There are many ways to begin introducing research evidence into practice. At the simplest level, you might identify an area of practice for which you are responsible, find out if any evidence-based clinical practice guidelines exist, critically appraise them to determine if they are valid, and consider how they might be applied locally. Chapter 26 outlines this very process. In areas where guidelines don't exist, you might, in collaboration with colleagues, identify recurring uncertainties in your clinical area. Next, you would translate your single uncertainty (e.g. *Is it really necessary for people to lie flat for 8 hours after lumbar puncture?*) into a focused, answerable question. Chapter 3 outlines how to develop focused, answerable questions. For the lumbar puncture example, the question might be as follows: *In patients having cervical or lumbar puncture, is longer bed rest more effective than immediate mobilization or short bed rest in preventing headache?* This question is clearly about whether a particular intervention (lying flat for a long time) is better or worse than an alternative (not lying flat or lying flat for a brief time). Chapters 7 and 8 explain how certain types of clinical question demand research evidence from particular research designs because the answers are more likely to be valid, or true. In the above example, where the question concerns an intervention or therapy, the answer is best provided by randomized controlled trials (RCTs) (or, even better, by a systematic review of all relevant RCTs). You would then move into the searching phase to identify relevant RCTs or reviews; Chapters 4, 5 and 6 will guide you through the searching process. The next step is to grapple with assessing the quality of the research you find. We cannot accept the results of research at face value because, irrespective of where research has been published, and by whom, most research is not fit for immediate application. This is best illustrated by the fact that only about 5.4% of the approximately 50 000 articles published in 120 journals, and scrutinized for three evidence-based journals (*Evidence-Based Nursing*, *Evidence-Based Medicine*, and *ACP Journal Club*), reached the required methodological standard (personal communication, A McKibbin, 20 December 2006).

Fortunately several resources of pre-appraised research now exist, and these are discussed in Chapter 4. If your search does not identify any pre-appraised evidence, you will need to appraise the research you find so that you can judge whether the results are valid and ready for use in practice. Chapters 15–26 lead you through the process of critically appraising reports of study designs you will commonly encounter. Finally, Chapters 27–32 consider different aspects of research utilization: theoretical models (Chapter 27), empirical evidence of interventions aimed at changing professional behaviour (Chapter 28), the influence of the organization on research utilization (Chapter 29), use of research in clinical decision-making (Chapter 30), the emergence of computerized decision support systems in nursing (Chapter 31), and one hospital's experiences of promoting evidence-based nursing (Chapter 32).

### Context

---

The emergence of evidence-based practice could not have happened at a more important time for nursing. The role of the nurse is not a fixed phenomenon; it varies by geography and culture and is heavily influenced by parameters such as the national economy and the supply of doctors. As we write this book at the beginning of the

**Box 1.2** The Chief Nursing Officer's 10 new roles for nurses<sup>[5]</sup>

1. Ordering diagnostic investigations
2. Making referrals
3. Admitting and discharging patients within protocols
4. Managing caseloads of people with chronic conditions such as diabetes or rheumatoid arthritis
5. Running clinics (e.g. dermatology)
6. Prescribing medicines and treatments
7. Carrying out a wide range of resuscitation procedures
8. Minor surgery
9. Triage patients
10. Planning service organization and delivery

21st century, never has the demand for health care been so high, and most countries are struggling to meet this demand. The flexibility inherent in the nursing role is widely used to respond to this demand for health care. For example, in 2000, the United Kingdom (UK) Department of Health's Chief Nursing Officer announced 10 new roles for nurses, and nurses are now adopting these new roles widely (Box 1.2).<sup>[5]</sup> These new roles were previously held only (formally, at least) by doctors (e.g. prescribing drugs,<sup>†</sup> ordering diagnostic tests, etc.). It is difficult to imagine how nurses will be able to take on these challenging new roles and responsibilities *without* developing knowledge of clinical epidemiology and adopting an approach to decision-making that is informed by evidence.

At this point, it is probably worth pausing to reflect on how quickly nursing research has developed. The first nursing research journal (*Nursing Research*) was only launched in 1952. Early nursing research mainly used methodologies taken from the social sciences and largely focused on nurse education and nurses themselves. The second issue of *Nursing Research* contained nine research articles, four of which were about nursing students and nurse education. Since these early days, nursing research has developed apace, and there are now more than 1200 journals indexed in CINAHL, with 5400 research articles (identified by the search term 'nurs\$') entering the CINAHL index in the year 2005 (searched by N. Cullum, 8 January 2007). In 1998, the *Evidence-Based Nursing* journal was launched, only 3 years after the launch of *Evidence-Based Medicine* (both published by the BMJ Publishing Group).


**Early evidence of the impact of evidence-based practice on policy, education and research**

Evidence-based practice in general, and evidence-based nursing in particular, can be viewed as complex innovations, and it would be naïve to expect rapid and

<sup>†</sup> Since 1 May 2006, nurses in the UK can prescribe *any* licensed medication for *any* clinical condition in which they have expertise, after a period of 26 days' training plus clinical mentorship.

## 6 ■ Evidence-based nursing

comprehensive uptake. Nevertheless, there is ample evidence of the impact of 'evidence-based' thinking on policy and education, paralleled by a rapidly growing research evidence base in clinical nursing topics. The Nursing and Midwifery Council, which governs nursing professional practice and nurse education in the UK, outlines in its Code of Conduct an expectation that nurses will 'deliver care based on current evidence, best practice and, where applicable, validated research when it is available'.<sup>[6]</sup> The Nursing and Midwifery Council standards for nursing curricula demand that 'the curriculum should reflect contemporary knowledge and enable development of evidence-based practice'.<sup>[7]</sup> Educational establishments all over the world have responded to demands from policy-makers and practitioners and developed educational programmes in evidence-based practice, ranging from half-day courses through to higher degrees. Paralleling these developments, the research evidence base for nursing decisions is also growing and maturing. In 1995, a systematic review of pressure ulcer prevention and treatment by the Centre for Reviews and Dissemination (CRD) at the University of York identified a total of 28 RCTs evaluating different pressure-relieving support surfaces in the entire international literature.<sup>[8]</sup> The review concluded that '... most of the equipment available for the prevention and treatment of pressure sores has not been reliably evaluated, and no "best buy" can be recommended'.<sup>[8]</sup> More recent reviews completed to underpin UK national clinical practice guidelines show that the number of trials has increased, with 44 RCTs of support surfaces for pressure ulcer prevention and treatment.<sup>[9, 10]</sup> Importantly, gaps



**Figure 1.3** Frequency of different types of nursing research published by year (from CINAHL). CINAHL searched using the terms 'phenomenolog\$', 'grounded theory', 'ethnograph\$', 'randomised controlled trial', 'randomized controlled trial', 'systematic review', 'meta analysis'. Searching was confined to the Nursing Journal subset and research papers (excluding papers *about* research).

Phenomenolog\$ + grounded theory + ethnograph\$ = qualitative.

in the evidence base have resulted in the UK National Health Service commissioning research on pressure ulcer prevention.<sup>[11]</sup> Looking at the broader picture, Figure 1.3 shows how the numbers of RCTs and systematic reviews are growing (albeit slowly) as a proportion of the total nursing research indexed in CINAHL. This is important since observational research suggests that decisions about therapies (which, when, and to whom) are the most frequent type of decision made by nurses in acute care and primary care and that these types of decisions are best supported by research from RCTs.<sup>[12]</sup> We believe that, as evidence-based thinking increases in influence in nursing, the demand for RCTs and systematic reviews will continue to increase, and research funders will respond accordingly.

## Why we wrote this book

---

The idea for this book grew out of our experience of producing the journal *Evidence-Based Nursing* since 1998. In common with other evidence-based journals produced by the Health Information Research Unit at McMaster University, *Evidence-Based Nursing* does not publish new research in full, but rather uses predefined methodological criteria to select, from the published literature, the best original studies and systematic reviews relevant to nurse decision-makers.<sup>[13]</sup> Full articles are then summarized in new, structured abstracts, which describe the question, methods, results, and evidence-based conclusions in a reproducible and accurate fashion. Each abstract is accompanied by a brief expert commentary written by a nurse, which discusses the context of the article, its methods, and clinical implications. Aside from this important dissemination role, the journal sought to develop evidence-based approaches to nursing through its Notebook and Users' Guides series. We saw these articles as being useful to nurses in clinical practice (who could see real examples of how the evidence-based framework could be applied to nursing decisions), useful to student nurses for the same reasons, and useful to nurse educators who were suddenly expected to teach this stuff with little previous preparation.<sup>[7]</sup> We regularly receive requests to bring the Notebooks and Users' Guides together as single resource, and so, in producing this book, we have had the same audience in mind: those of you who are somewhat, or completely, new to evidence-based practice, as well as those who are finding it difficult to get to grips with the concept. While the chapters of this book have mainly been developed from editorials already published in *Evidence-Based Nursing*, each has been scrutinized, edited, updated, and in some cases completely re-written. We hope that you will enjoy using the book in a variety of ways. The chapters can stand alone, and therefore you can dip into and out of the book depending on the immediate challenge at hand, or you can work through the book chapter by chapter. We urge you to consider doing this with colleagues so that you can share the learning experience and work through examples that are relevant and meaningful to your practice.

Most chapters include Learning Exercises, which are aimed at reinforcing the chapter material by allowing you to practise the techniques yourself; alternatively, nurse teachers might want to set these as exercises for students. Finally, we have included a comprehensive Glossary of terms that will stand alone as a useful guide to the basic concepts. We are indebted to all of our contributors who have given their time and expertise so freely and helped to bring this material completely up to date. We hope you enjoy reading the book as much as we have enjoyed producing it!

## References

- 1 Evidence-Based Medicine Working Group. Evidence-based medicine. A new approach to teaching the practice of medicine. *JAMA* 1992;268:2420–5.
- 2 Evidence-based management. <http://www.evidence-basedmanagement.com/movements/index.html> (accessed 12 December 2006).
- 3 Thompson C, McCaughan D, Cullum N, Sheldon TA, Mulhall A, Thompson DR. Research information in nurses' clinical decision-making: what is useful? *J Adv Nurs* 2001;36:376–88.
- 4 Royal College of Nursing. *Clinical Practice Guidelines. The Nursing Management of Patients with Venous Leg Ulcers*. London: Royal College of Nursing, 2006. <http://www.rcn.org.uk/resources/guidelines.php> (accessed 12 December 2006).
- 5 Department of Health. *The NHS Plan*. 2000. <http://www.nhsia.nhs.uk/nhsplan/>(accessed 12 December 2006).
- 6 Nursing and Midwifery Council. *The NMC Code of Professional Conduct: Standards for Conduct, Performance and Ethics*. London: Nursing and Midwifery Council, 2004. <http://www.nmc-uk.org/> (accessed 12 December 2006).
- 7 Nursing and Midwifery Council. *Standards of Proficiency for Pre-registration Nursing Education*. London: Nursing and Midwifery Council, 2004. <http://www.nmc-uk.org/aSection.aspx?SectionID=32> (accessed 12 December 2006).
- 8 Effective Health Care. *The Prevention and Treatment of Pressure Sores*. York: Centre for Reviews and Dissemination. 1995. <http://www.york.ac.uk/inst/crd/ehc21.pdf> (accessed 12 December 2006).
- 9 Royal College of Nursing. *Clinical Practice Guidelines. Pressure Ulcer Risk Assessment and Prevention*. London: Royal College of Nursing, 2001. <http://www.nice.org.uk/guidance/CGB/guidance/pdf/English> (accessed 12 December 2006).
- 10 Royal College of Nursing. *Clinical Practice Guidelines. The Use of Pressure-Relieving Devices (Beds, Mattresses and Overlays) for the Prevention of Pressure Ulcers in Primary and Secondary Care*. London: Royal College of Nursing, 2003. <http://www.rcn.org.uk/publications/pdf/guidelines/pressure-relieving-devices.pdf> (accessed 12 December 2006).
- 11 Nixon J, Cranny G, Iglesias C, Nelson EA, Hawkins K, Phillips A, Torgerson D, Mason S, Cullum N. Randomised, controlled trial of alternating pressure mattresses compared with alternating pressure overlays for the prevention of pressure ulcers: PRESSURE (pressure relieving support surfaces) trial. *BMJ* 2006;332:1413.
- 12 McCaughan D. What decisions do nurses make? In: Thompson C, Dowding D, editors. *Clinical Decision Making and Judgement in Nursing*. Edinburgh: Churchill Livingstone, 2002:95–108.
- 13 Purpose and procedure. *Evid Based Nurs* 2006;9:98–9.