

## References – Chapter 18

### Information flow in the cell

**Balmain, A., Gray, J. and Ponder, B.** (2003). The genetics and genomics of cancer. *Nat Genet.* **33 Suppl**, 238-244.

**Bell, J.** (2004). Predicting disease using genomics. *Nature.* **429**, 453-456.

**Brown, D. and Superti-Furga, G.** (2003). Rediscovering the sweet spot in drug discovery. *Drug Discov Today.* **8**, 1067-1077.

**Evans, W. E. and Relling, M. V.** (2004). Moving towards individualized medicine with pharmacogenomics. *Nature.* **429**, 464-468.

**Hood, L. and Galas, D.** (2003). The digital code of DNA. *Nature.* **421**, 444-448.

**Jones, P. A. and Baylin, S. B.** (2002). The fundamental role of epigenetic events in cancer. *Nat Rev Genet.* **3**, 415-428.

**Narod, S. A. and Foulkes, W. D.** (2004). BRCA1 and BRCA2: 1994 and beyond. *Nat Rev Cancer.* **4**, 665-676.

**Ponder, B. A.** (2001). Cancer genetics. *Nature.* **411**, 336-341.

### Model organisms and cancer models

**Jain, M., Arvanitis, C., Chu, K., Dewey, W., Leonhardt, E., Trinh, M., Sundberg, C. D., Bishop, J. M. and Felsher, D. W.** (2002). Sustained loss of a neoplastic phenotype by brief inactivation of MYC. *Science.* **297**, 102-104.

**Chin, L., Tam, A., Pomerantz, J., Wong, M., Holash, J., Bardeesy, N., Shen, Q., O'Hagan, R., Pantginis, J., Zhou, H., Horner, J. W., 2nd, Cordon-Cardo, C., Yancopoulos, G. D. and DePinho, R. A.** (1999). Essential role for oncogenic Ras in tumour maintenance. *Nature.* **400**, 468-472.

**Moody, S. E., Sarkisian, C. J., Hahn, K. T., Gunther, E. J., Pickup, S., Dugan, K. D., Innocent, N., Cardiff, R. D., Schnall, M. D. and Chodosh, L. A.** (2002). Conditional activation of Neu in the mammary epithelium of transgenic mice results in reversible pulmonary metastasis. *Cancer Cell.* **2**, 451-461.

**Pelengaris, S., Littlewood, T., Khan, M., Elia, G. and Evan, G.** (1999). Reversible activation of c-Myc in skin: induction of a complex neoplastic phenotype by a single oncogenic lesion. *Mol Cell.* **3**, 565-577.

**Pelengaris, S., Khan, M. and Evan, G. I.** (2002). Suppression of Myc-induced apoptosis in beta cells exposes multiple oncogenic properties of Myc and triggers carcinogenic progression. *Cell.* **109**, 321-334.

**Pelengaris, S., Abouna, S., Cheung, L., Ifandi, V., Zervou, S. and Khan, M.** (2004). Brief inactivation of c-Myc is not sufficient for sustained regression of c-Myc-induced tumours of pancreatic islets and skin epidermis. *BMC Biol.* **2**, 26.

Shachaf, C. M., Kopelman, A. M., Arvanitis, C., Karlsson, A., Beer, S., Mandl, S., Bachmann, M. H., Borowsky, A. D., Ruebner, B., Cardiff, R. D., Yang, Q., Bishop, J. M., Contag, C. H. and Felsher, D. W. (2004). MYC inactivation uncovers pluripotent differentiation and tumour dormancy in hepatocellular cancer. *Nature*. **431**, 1112-1117.

## SNP's, HapMap and identifying cancer genes

Carlson, C. S., Eberle, M. A., Kruglyak, L. and Nickerson, D. A. (2004). Mapping complex disease loci in whole-genome association studies. *Nature*. **429**, 446-452.

Daly, M. J., Rioux, J. D., Schaffner, S. F., Hudson, T. J. and Lander, E. S. (2001). High-resolution haplotype structure in the human genome. *Nat Genet*. **29**, 229-232.

Futreal, P. A., Coin, L., Marshall, M., Down, T., Hubbard, T., Wooster, R., Rahman, N. and Stratton, M. R. (2004). A census of human cancer genes. *Nat Rev Cancer*. **4**, 177-183.

Glazier, A. M., Nadeau, J. H. and Aitman, T. J. (2002). Finding genes that underlie complex traits. *Science*. **298**, 2345-2349.

Goldstein, D. B. and Weale, M. E. (2001). Population genomics: linkage disequilibrium holds the key. *Curr Biol*. **11**, R576-579.

HapMap-Consortium (2003). The International HapMap Project. *Nature*. **426**, 789-796.

Zondervan, K. T. and Cardon, L. R. (2004). The complex interplay among factors that influence allelic association. *Nat Rev Genet*. **5**, 89-100

## Cancer mRNA expression analysis

Alizadeh, A. A., Eisen, M. B., Davis, R. E., Ma, C., Lossos, I. S., Rosenwald, A., Boldrick, J. C., Sabet, H., Tran, T., Yu, X., Powell, J. I., Yang, L., Marti, G. E., Moore, T., Hudson, J., Jr., Lu, L., Lewis, D. B., Tibshirani, R., Sherlock, G., Chan, W. C., Greiner, T. C., Weisenburger, D. D., Armitage, J. O., Warnke, R., Levy, R., Wilson, W., Grever, M. R., Byrd, J. C., Botstein, D., Brown, P. O. and Staudt, L. M. (2000). Distinct types of diffuse large B-cell lymphoma identified by gene expression profiling. *Nature*. **403**, 503-511.

Creighton, C., Kuick, R., Misek, D. E., Rickman, D. S., Brichory, F. M., Rouillard, J. M., Omenn, G. S. and Hanash, S. (2003). Profiling of pathway-specific changes in gene expression following growth of human cancer cell lines transplanted into mice. *Genome Biol*. **4**, R46.

Lossos, I. S., Czerwinski, D. K., Alizadeh, A. A., Wechser, M. A., Tibshirani, R., Botstein, D. and Levy, R. (2004). Prediction of survival in diffuse large-B-cell lymphoma based on the expression of six genes. *N Engl J Med*. **350**, 1828-1837

Ma, X. J., Salunga, R., Tuggle, J. T., Gaudet, J., Enright, E., McQuary, P., Payette, T., Pistone, M., Stecker, K., Zhang, B. M., Zhou, Y. X., Varnholt, H., Smith, B., Gadd, M., Chatfield, E., Kessler, J., Baer, T. M., Erlander, M. G. and Sgroi, D. C. (2003). Gene expression profiles of human breast cancer progression. *Proc Natl Acad Sci U S A*. **100**, 5974-5979.

Perou, C. M., Sorlie, T., Eisen, M. B., van de Rijn, M., Jeffrey, S. S., Rees, C. A., Pollack, J. R., Ross, D. T., Johnsen, H., Akslén, L. A., Fluge, O., Pergamenschikov, A., Williams, C., Zhu, S. X., Lonning,

**P. E., Borresen-Dale, A. L., Brown, P. O. and Botstein, D.** (2000). Molecular portraits of human breast tumours. *Nature*. **406**, 747-752.

**Pittman, J., Huang, E., Dressman, H., Horng, C. F., Cheng, S. H., Tsou, M. H., Chen, C. M., Bild, A., Iversen, E. S., Huang, A. T., Nevins, J. R. and West, M.** (2004). Integrated modeling of clinical and gene expression information for personalized prediction of disease outcomes. *Proc Natl Acad Sci U S A*. **101**, 8431-8436.

**Rhodes, D. R., Yu, J., Shanker, K., Deshpande, N., Varambally, R., Ghosh, D., Barrette, T., Pandey, A. and Chinnaiyan, A. M.** (2004). Large-scale meta-analysis of cancer microarray data identifies common transcriptional profiles of neoplastic transformation and progression. *Proc Natl Acad Sci U S A*. **101**, 9309-9314.

**Ross, D. T., Scherf, U., Eisen, M. B., Perou, C. M., Rees, C., Spellman, P., Iyer, V., Jeffrey, S. S., Van de Rijn, M., Waltham, M., Pergamenschikov, A., Lee, J. C., Lashkari, D., Shalon, D., Myers, T. G., Weinstein, J. N., Botstein, D. and Brown, P. O.** (2000). Systematic variation in gene expression patterns in human cancer cell lines. *Nat Genet*. **24**, 227-235.

**Shipp, M. A., Ross, K. N., Tamayo, P., Weng, A. P., Kutok, J. L., Aguiar, R. C., Gaasenbeek, M., Angelo, M., Reich, M., Pinkus, G. S., Ray, T. S., Koval, M. A., Last, K. W., Norton, A., Lister, T. A., Mesirov, J., Neuberg, D. S., Lander, E. S., Aster, J. C. and Golub, T. R.** (2002). Diffuse large B-cell lymphoma outcome prediction by gene-expression profiling and supervised machine learning. *Nat Med*. **8**, 68-74.

**Sorlie, T., Tibshirani, R., Parker, J., Hastie, T., Marron, J. S., Nobel, A., Deng, S., Johnsen, H., Pesich, R., Geisler, S., Demeter, J., Perou, C. M., Lonning, P. E., Brown, P. O., Borresen-Dale, A. L. and Botstein, D.** (2003). Repeated observation of breast tumor subtypes in independent gene expression data sets. *Proc Natl Acad Sci U S A*. **100**, 8418-8423.

**van de Vijver, M. J., He, Y. D., van't Veer, L. J., Dai, H., Hart, A. A., Voskuil, D. W., Schreiber, G. J., Peterse, J. L., Roberts, C., Marton, M. J., Parrish, M., Atsma, D., Witteveen, A., Glas, A., Delahaye, L., van der Velde, T., Bartelink, H., Rodenhuis, S., Rutgers, E. T., Friend, S. H. and Bernards, R.** (2002). A gene-expression signature as a predictor of survival in breast cancer. *N Engl J Med*. **347**, 1999-2009.

**van de Vijver, M. J., He, Y. D., van't Veer, L. J., Dai, H., Hart, A. A., Voskuil, D. W., Schreiber, G. J., Peterse, J. L., Roberts, C., Marton, M. J., Parrish, M., Atsma, D., Witteveen, A., Glas, A., Delahaye, L., van der Velde, T., Bartelink, H., Rodenhuis, S., Rutgers, E. T., Friend, S. H. and Bernards, R.** (2002). A gene-expression signature as a predictor of survival in breast cancer. *N Engl J Med*. **347**, 1999-2009.

## **CGH arrays, CpG island microarrays and ChIP-on-Chip**

**Albertson, D. G.** (2003). Profiling breast cancer by array CGH. *Breast Cancer Res Treat*. **78**, 289-298.

**Ballestar, E., Paz, M. F., Valle, L., Wei, S., Fraga, M. F., Espada, J., Cigudosa, J. C., Huang, T. H. and Esteller, M.** (2003). Methyl-CpG binding proteins identify novel sites of epigenetic inactivation in human cancer. *Embo J*. **22**, 6335-6345.

**Balog, R. P., de Souza, Y. E., Tang, H. M., DeMasellis, G. M., Gao, B., Avila, A., Gaban, D. J., Mittelman, D., Minna, J. D., Luebke, K. J. and Garner, H. R.** (2002). Parallel assessment of CpG methylation by two-color hybridization with oligonucleotide arrays. *Anal Biochem*. **309**, 301-310.

**Bird, A.** (2002). DNA methylation patterns and epigenetic memory. *Genes Dev*. **16**, 6-21.

**Chen, C. M., Chen, H. L., Hsiau, T. H., Hsiau, A. H., Shi, H., Brock, G. J., Wei, S. H., Caldwell, C. W., Yan, P. S. and Huang, T. H.** (2003). Methylation target array for rapid analysis of CpG island hypermethylation in multiple tissue genomes. *Am J Pathol.* **163**, 37-45.

**Egger, G., Liang, G., Aparicio, A. and Jones, P. A.** (2004). Epigenetics in human disease and prospects for epigenetic therapy. *Nature.* **429**, 457-463.

**Gitan, R. S., Shi, H., Chen, C. M., Yan, P. S. and Huang, T. H.** (2002). Methylation-specific oligonucleotide microarray: a new potential for high-throughput methylation analysis. *Genome Res.* **12**, 158-164.

**Mantripragada, K. K., Buckley, P. G., de Stahl, T. D. and Dumanski, J. P.** (2004). Genomic microarrays in the spotlight. *Trends Genet.* **20**, 87-94.

**Oostlander, A. E., Meijer, G. A. and Ylstra, B.** (2004). Microarray-based comparative genomic hybridization and its applications in human genetics. *Clin Genet.* **66**, 488-495.

**Weinmann, A. S., Yan, P. S., Oberley, M. J., Huang, T. H. and Farnham, P. J.** (2002). Isolating human transcription factor targets by coupling chromatin immunoprecipitation and CpG island microarray analysis. *Genes Dev.* **16**, 235-244.

**Yan, P. S., Perry, M. R., Laux, D. E., Asare, A. L., Caldwell, C. W. and Huang, T. H.** (2000). CpG island arrays: an application toward deciphering epigenetic signatures of breast cancer. *Clin Cancer Res.* **6**, 1432-1438.

**Yan, P. S., Chen, C. M., Shi, H., Rahmatpanah, F., Wei, S. H. and Huang, T. H.** (2002). Applications of CpG island microarrays for high-throughput analysis of DNA methylation. *J Nutr.* **132**, 2430S-2434S.

## **Proteomics and Quantative proteomics**

**Jessani, N., Humphrey, M., McDonald, W. H., Niessen, S., Masuda, K., Gangadharan, B., Yates, J. R., 3rd, Mueller, B. M. and Cravatt, B. F.** (2004). Carcinoma and stromal enzyme activity profiles associated with breast tumor growth in vivo. *Proc Natl Acad Sci U S A.* **101**, 13756-13761.

**Krijgsveld, J., Ketting, R. F., Mahmoudi, T., Johansen, J., Artal-Sanz, M., Verrijzer, C. P., Plasterk, R. H. and Heck, A. J.** (2003). Metabolic labeling of *C. elegans* and *D. melanogaster* for quantitative proteomics. *Nat Biotechnol.* **21**, 927-931.

**Lewis, T. S., Hunt, J. B., Aveline, L. D., Jonscher, K. R., Louie, D. F., Yeh, J. M., Nahreini, T. S., Resing, K. A. and Ahn, N. G.** (2000). Identification of novel MAP kinase pathway signaling targets by functional proteomics and mass spectrometry. *Mol Cell.* **6**, 1343-1354.

**Li, J., Steen, H. and Gygi, S. P.** (2003). Protein Profiling with Cleavable Isotope-coded Affinity Tag (cICAT) Reagents: The Yeast Salinity Stress Response. *Mol Cell Proteomics.* **2**, 1198-1204.

**Ong, S. E., Foster, L. J. and Mann, M.** (2003a). Mass spectrometric-based approaches in quantitative proteomics. *Methods.* **29**, 124-130.

**Ong, S. E., Kratchmarova, I. and Mann, M.** (2003b). Properties of <sup>13</sup>C-substituted arginine in stable isotope labeling by amino acids in cell culture (SILAC). *J Proteome Res.* **2**, 173-181.

**Shio, Y., Donohoe, S., Yi, E. C., Goodlett, D. R., Aebersold, R. and Eisenman, R. N.** (2002). Quantitative proteomic analysis of Myc oncoprotein function. *Embo J.* **21**, 5088-5096.

**Steen, H. and Mann, M.** (2004). The ABC's (and XYZ's) of peptide sequencing. *Nat Rev Mol Cell Biol.* **5**, 699-711.

**van Anken, E., Romijn, E. P., Maggioni, C., Mezghrani, A., Sitia, R., Braakman, I. and Heck, A. J.** (2003). Sequential waves of functionally related proteins are expressed when B cells prepare for antibody secretion. *Immunity.* **18**, 243-253.

## **Post-translational modifications**

**Blagoev, B., Ong, S. E., Kratchmarova, I. and Mann, M.** (2004). Temporal analysis of phosphotyrosine-dependent signaling networks by quantitative proteomics. *Nat Biotechnol.* **22**, 1139-1145.

**Larsen, M. R. and Roepstorff, P.** (2000). Mass spectrometric identification of proteins and characterization of their post-translational modifications in proteome analysis. *Fresenius J Anal Chem.* **366**, 677-690.

**Mann, M. and Jensen, O. N.** (2003). Proteomic analysis of post-translational modifications. *Nat Biotechnol.* **21**, 255-261.

## **Protein complexes and cellular networks**

**Aloy, P., Bottcher, B., Ceulemans, H., Leutwein, C., Mellwig, C., Fischer, S., Gavin, A. C., Bork, P., Superti-Furga, G., Serrano, L. and Russell, R. B.** (2004). Structure-based assembly of protein complexes in yeast. *Science.* **303**, 2026-2029.

**Blagoev, B., Kratchmarova, I., Ong, S. E., Nielsen, M., Foster, L. J. and Mann, M.** (2003). A proteomics strategy to elucidate functional protein-protein interactions applied to EGF signaling. *Nat Biotechnol.* **21**, 315-318.

**Bouwmeester, T., Bauch, A., Ruffner, H., Angrand, P. O., Bergamini, G., Crougton, K., Cruciat, C., Eberhard, D., Gagneur, J., Ghidelli, S., Hopf, C., Huhse, B., Mangano, R., Michon, A. M., Schirle, M., Schlegl, J., Schwab, M., Stein, M. A., Bauer, A., Casari, G., Drewes, G., Gavin, A. C., Jackson, D. B., Joberty, G., Neubauer, G., Rick, J., Kuster, B. and Superti-Furga, G.** (2004). A physical and functional map of the human TNF-alpha/NF-kappa B signal transduction pathway. *Nat Cell Biol.* **6**, 97-105.

**Gavin, A. C., Bosche, M., Krause, R., Grandi, P., Marzioch, M., Bauer, A., Schultz, J., Rick, J. M., Michon, A. M., Cruciat, C. M., Remor, M., Hofert, C., Schelder, M., Brajenovic, M., Ruffner, H., Merino, A., Klein, K., Hudak, M., Dickson, D., Rudi, T., Gnau, V., Bauch, A., Bastuck, S., Huhse, B., Leutwein, C., Heurtier, M. A., Copley, R. R., Edelmann, A., Querfurth, E., Rybin, V., Drewes, G., Raida, M., Bouwmeester, T., Bork, P., Seraphin, B., Kuster, B., Neubauer, G. and Superti-Furga, G.** (2002). Functional organization of the yeast proteome by systematic analysis of protein complexes. *Nature.* **415**, 141-147.

**Pawson, T. and Nash, P.** (2003). Assembly of cell regulatory systems through protein interaction domains. *Science.* **300**, 445-452.

**Puig, O., Caspary, F., Rigaut, G., Rutz, B., Bouveret, E., Bragado-Nilsson, E., Wilm, M. and Seraphin, B.** (2001). The tandem affinity purification (TAP) method: a general procedure of protein complex purification. *Methods.* **24**, 218-229.

## **Clinical applications**

**Petricoin, E. F., Ardekani, A. M., Hitt, B. A., Levine, P. J., Fusaro, V. A., Steinberg, S. M., Mills, G. B., Simone, C., Fishman, D. A., Kohn, E. C. and Liotta, L. A.** (2002). Use of proteomic patterns in serum to identify ovarian cancer. *Lancet*. **359**, 572-577.

**Villanueva, J., Philip, J., Entenberg, D., Chaparro, C.A., Tanwar, M. K., Holland, E.C. and Tempst, P.** (2004). Serum peptide profiling by magnetic particle-assisted, automated sample processing and MALDI-TOF mass spectrometry. *Anal Chem*. **76**, 1560-1570.