

Original References – chapter 9

Senescence

Beausejour, C.M. et al.2003. Reversal of human cellular senescence: roles of the p53 and p16 pathways. *EMBO J.* 22:4212-4222.

Dimri, G. P., and Campisi, J. 1994. "Altered Profile of Transcription Factor-Binding Activities in Senescent Human Fibroblasts." *Experimental Cell Research* 212: 13240.

Hayflick, L. 1965. "The Limited in Vitro Lifetime of Human Diploid Cell Strains." *Experimental Cellular Research* 37: 61436.

Hayflick, L., and Moorhead, P.S. 1961. The serial cultivation of human diploid cell strains. *Exp. Cell Res.* 25:585-621.

Narita, M. et al.2003. Rb-mediated heterochromatin formation and silencing of E2F target genes during cellular senescence. *Cell.* 113:703-716.

Sage, J., Miller, A.L., Perez-Mancera, P.A., Wysocki, J.M., and Jacks, T. 2003. Acute mutation of retinoblastoma gene function is sufficient for cell cycle re-entry. *Nature.* 424:223-228.

Serrano, M., Lin, A.W., McCurrach, M.E., Beach, D., and Lowe, S.W. 1997. Oncogenic ras provokes premature cell senescence associated with accumulation of p53 and p16INK4a. *Cell.* 88:593-602.

Shelton, D.N., Chang, E., Whittier, P.S., Choi, D., and Funk, W.D. 1999. Microarray analysis of replicative senescence. *Curr. Biol.* 9:939-945.

C.J. Sherr, and R.A. DePinho, Cellular **senescence**: mitotic clock or culture shock?
Cell 102 (2000) 407-410.

Schmitt, C.A. Fridman J.S., Yang M., Lee, S. Baranov E., Hoffman R.M., and Lowe
S.W. A senescence program controlled by p53 and p16INK4a contributes to the
outcome of cancer therapy, Cell 109 (2002) 335-346.

Trost TM, ET AL., Premature senescence is a primary fail-safe mechanism of
ERBB2-driven tumorigenesis in breast carcinoma cells. Cancer Res. 2005 Feb
1;65(3):840-9.

Telomeres

Artandi SE, Alson S, Tietze MK, Sharpless NE, Ye S, Greenberg RA, Castrillon DH,
Horner JW, Weiler SR, Carrasco RD, DePinho RA.: Constitutive telomerase expression
promotes mammary carcinomas in aging mice. *Proc Natl Acad Sci U S A.* 2002, 99,
8191-8196.

Bailey, S.M., Conforth, M.N., Kurimasa, A., Chen, D.J., and Goodwin, E.H. Strand-
specific postreplicative processing of mammalian telomeres. *Science* 2001,293: 2462-
2465.

Blasco MA.: Telomerase beyond telomeres. *Nat Rev Cancer* 2002, 2: 627-633.

Blasco, M.A., H.-W. Lee, P. Hande, E. Samper, P. Lansdorp, R. DePinho, and C.W. Greider: Telomere shortening and tumour formation by mouse cells lacking telomerase RNA. *Cell* 1997, 91: 25-34.

Bodnar, A.G. *et al.*: Extension of life-span by introduction of telomerase into normal human cells. *Science* 1998, 279: 349-352.

Chan, S.W-L., and Blackburn, E.H: New ways not to make ends meet: telomerase, DNA damage proteins and heterochromatin. *Oncogene* 2002, 21: 553-563.

Chin K, et al., In situ analyses of genome instability in breast cancer. *Nat Genet.* 2004 Sep;36(9):984-8.

Chin, L., Artandi, S. E., Shen, Q., Tam, A., Lee, S. L., Gottlieb, G. J., Greider, C. W. and DePinho, R. A.: p53 deficiency rescues the adverse effects of telomere loss and cooperates with telomere dysfunction to accelerate carcinogenesis. *Cell* 1999, 97: 527-538.

Collins, K., and Mitchell, J.R.: Telomerase in the human organism. *Oncogene* 2002, 21: 564-579.

Corey, D.R.: Telomerase inhibition, oligonucleotides, and clinical trials. *Oncogene* 2002, 21: 631-727.

d'Adda di Fagagna et al. DNA damage checkpoint response in telomere-initiated senescence. *Nature* **426**,194-198 (2003)

Damm K, Hemmann U, Garin-Chesa P, Huel N, Kauffmann I, Priepke H, Niestroj C, Daiber C, Enenkel B, Guilliard B, Lauritsch I, Muller E, Pascolo E, Sauter G, Pantic M, Martens UM, Wenz C, Lingner J, Kraut N, Rettig WJ, Schnapp A.: A highly selective telomerase inhibitor limiting human cancer cell proliferation. *EMBO J.* 2001, 20: 6958-6968.

De Lange, T: Protection of mammalian telomeres. *Oncogene* 2002, 21: 532-540.

Espejel, S., Franco, S., Sgura, A., Gae, D., Bailey, S., Taccioli, G., and Blasco, M.A.: Functional interaction between DNA-PKcs and telomerase in telomere length maintenance. *EMBO J* , 2002, 21, 6275-6287

Finnon, P., Wong, H.P., Silver, A.R., Slijepcevic, P., and Bouffler, S.D.: Long but dysfunctional telomeres correlate with chromosomal radiosensitivity in a mouse AML cell line. *Int J Radiat Biol.* 2001, 77: 1151-1162.

Franco, S., Segura, I., Riese, H.H., and Blasco, M.A.: Decreased B16F10 melanoma growth and impaired vascularization in telomerase-deficient mice with critically short telomeres. *Cancer Res.* 2002, 62: 552-559.

García-Cao, M., Gonzalo, S., Dean, D., and Blasco, M.A. (2002). Role of the Rb family members in controlling telomere length. *Nature Genetics* 32, 415-419

González-Suárez, E., Samper, E., Flores, J.M., and Blasco, M.A.: Telomerase-deficient mice with short telomeres are resistant to skin tumorigenesis *Nat Genet* 2000, 26: 114-117.

Gonzalez-Suarez, E., Samper, E., Ramirez, A., Flores, J.M., Martin-Caballero, J., Jorcano, J.L. and Blasco, M.A.: Increased epidermal tumours and increased wound healing in transgenic mice overexpressing the catalytic subunit of telomerase, mTERT, in basal keratinocytes. *EMBO J.* 2001, 20: 2619-2630.

Goytisolo, F., E. Samper, J. Martín-Caballero, P. Finnon, E. Herrera, J.M. Flores, S.D. Bouffler, and Blasco, M.A.: Short telomeres result in organismal hypersensitivity to ionizing radiation in mammals. *J. Exp. Med.* 2000, 192: 1625-1636

Goytisolo, F., E. Samper, S. Edmonson, G.E. Taccioli, and Blasco, M.A.: Absence of DNA-PKcs in mice results in anaphase bridges and in increased telomeric fusions with normal telomere length and G-strand overhang. *Mol Cell Biol* 2001, 21: 3642-3651.

Goytisolo, F.A., and Blasco, M.A.: Many ways to telomere dysfunction: in vivo studies using mouse models. *Oncogene* 2002, 21: 584-591.

Greenberg, R.A., Chin, L., Femino, A., Lee, K.H., Gottlieb, G.J., Singer, R.H., Greider, C.W. and DePinho, R.A.: Short dysfunctional telomeres impair tumorigenesis in the INK4a(delta2/3) cancer-prone mouse. *Cell* 1999, 97: 515-525.

Hahn, W.C., Stewart, S.A., Brooks, M.W., York, S.G., Eaton, E., Kurachi, A., Beijersbergen, R.L., Knoll, J.H., Meyerson, M., and Weinberg, R.A: Inhibition of telomerase limits the growth of human cancer cells. *Nat Med.* 1999, 5: 1164-1170.

Harley, C.B., Futcher, A.B., and Greider, C.W.: Telomeres shorten during ageing of human fibroblasts. *Nature* 1990, 31: 458-460.

Hemann, M.T., Strong, M.A., Hao, L.Y., and Greider, C.W.: The shortest telomere, not average telomere length, is critical for cell viability and chromosome stability. *Cell* 2001,107: 67-77.

Henson, J.D., Neumann, A.A., Yeager, T.R., and Reddel, R.R.: Alternative lengthening of telomeres in mammalian cells. *Oncogene* 2002, 21: 598-610

Herrera, E., E. Samper, J. Martín-Caballero, J.M. Flores, H-W. Lee, and M.A. Blasco: Disease states associated to telomerase deficiency appear earlier in mice with short telomeres. *EMBO J.* 1999, 18: 2950-2960.

Hiyama E, and Hiyama K.: Clinical utility of telomerase in cancer. *Oncogene* 2001, 21: 643-649.

Karlseder J, Broccoli D, Dai Y, Hardy S, de Lange T.: p53- and ATM-dependent apoptosis induced by telomeres lacking TRF2. *Science* 1999, 283:1321-1325.

Karlseder J, Smogorzewska A, de Lange T.: Senescence induced by altered telomere state, not telomere loss. *Science* 2002, 295: 2446-2449.

Karlseder J, Kachatrian L, Takai H, Mercer K, Hingorani S, Jacks T, de Lange T.
Targeted deletion reveals an essential function for the telomere length regulator Trf1.
Mol Cell Biol. 2003 Sep;23(18):6533-41.

Latre, L., Tusell, L., Martín, M., Miró, R., Egozcue, J., Blasco, M.A., and Genescá, A. (2003). Shortened telomeres join to DNA breaks interfering with their correct repair. *Exp Cell Res* 287, 282-288.

Lee, H.W., Blasco, M.A., Gottlieb, G.J., Horner, J.W., Greider, C.W. and DePinho, R.A.: Essential role of mouse telomerase in highly proliferative organs. *Nature* 1998, 392: 569-574.

Lee, K.H., Rudolph, K.L., Ju, Y.J., Greenberg, R.A., Cannizzaro, L., Chin, L., Weiler, S.R., and DePinho, R.A: Telomere dysfunction alters the chemotherapeutic profile of transformed cells. *Proc Natl Acad Sci U S A*. 2001, 98: 3381-3386.

Mattson, M.P., Fu, W., and Zhang, P. Emerging roles for telomerase in regulating cell differentiation and survival: a neuroscientist's perspective. *Mech. Aging and Dev*. 2001, 122: 659-671.

McIlrath, J., Bouffler, S.D., Samper, E., Cuthbert, A., Wojcik, A., Szumiel, I., Bryant, P.E., Riches, A.C., Thompson, A., Blasco, M.A., Newbold, R.F., and Slijepcevic, P.: Telomere length abnormalities in mammalian radiosensitive cells. *Cancer Res*. 2001,61: 912-915.

Nautiyal, S., DeRisi, J.L., and Blackburn, E.H. (2002). The genome-wide expression response to telomerase deletion in *Saccharomyces cerevisiae*. *Proc Natl Acad Sci U S A* 99, 9316-9321.

Rudolph, K.L., Millard, M., Bosenberg, M.W. and DePinho, R.A.: Telomere dysfunction and evolution of intestinal carcinoma in mice and humans. *Nat Genet* 2001, 28: 155-159

Sachsinger, J., Gonzalez-Suarez, E., Samper, E., Heicappell, R., Muller, M., and Blasco, M.A.: Telomerase inhibition in RenCa, a murine tumour cell line with short telomeres, by overexpression of a dominant negative mTERT mutant, reveals fundamental

differences in telomerase regulation between human and murine cells. *Cancer Res.* 1999, 61: 5580-5586.

Samper, E., F. Goytisolo, P. Slijepcevic, P. van Buul, and M.A. Blasco.: Mammalian Ku86 prevents telomeric fusions independently of the length of TTAGGG repeats and the G-strand overhang. *EMBO Reports* 2000, 1: 244-252.

Samper, E., Flores, J.M., and Blasco, M.A.: Restoration of telomerase activity rescues chromosomal instability and premature aging in *Terc*^{-/-} mice with short telomeres. *EMBO Reports* 2001, 2: 800-807.

Serrano, M., and Blasco, M.A.: Putting the stress on senescence. *Curr. Op. Cell Biol.* 2001, 13: 748-753.

Smith, L.L., Collier, H.A., and Roberts, J.M. Telomerase modulates expression of growth-controlling genes and enhances cell proliferation. *Nat Cell Biol.* 2003, 5:474-479.

Smogorzewska A, de Lange T.: Different telomere damage signaling pathways in human and mouse cells. *EMBO J.* 2002, 21:4338-4348.

Smogorzewska A, van Steensel B, Bianchi A, Oelmann S, Schaefer MR, Schnapp G, de Lange T.: Control of human telomere length by TRF1 and TRF2. *Mol Cell Biol.* 2000, 20: 1659-1668.

Takai, H., Smogorzewska, A., and de Lange, T. DNA damage foci at dysfunctional telomeres. *Curr Biol.* **13**,1549-1556 (2003)

van Steensel B, Smogorzewska A, de Lange T.: TRF2 protects human telomeres from end-to-end fusions. *Cell* 1998, 92: 401-413.

Vogel, H., Lim, D.S., Karsenty, G., Finegold, M. and Hasty, P.: Deletion of Ku86 causes early onset of senescence in mice. *Proc Natl Acad Sci U S A* 1999, 96: 10770-10775.