
Introduction and overview

This book looks at nutrition as an exciting discipline that draws on all branches of biology. Nutrition is both an art and a science: it observes, measures and tries to explain the constantly changing process of the optimal mix of chemicals necessary for the functioning of an individual at all stages of life.

This book is written at a number of levels to encompass:

- traditional nutrition (Chapters 2–6, 8–17, 39–45)
- evolving nutrition (Chapters 20, 22–26, 31–37, 46)
- complex concepts, which although not currently central will influence the future of nutrition: an awareness of these will be necessary for the next generation of nutritionists (Chapter 7, and parts of Chapters 11, 18, 19, 21, 27–30, 38).

Take what is appropriate for your requirements at different stages of your development in nutrition.

The selection, processing and manner of eating food will be strongly influenced by what is available and by the history, social stability and economy of the community. What and how a person eats is significantly affected by their family background and traditions, although travel is increasingly changing food choices. War, pestilence and famine can restrict food availability, and food may also be contaminated by pollutants from the environment.

Being able to eat optimal amounts is dependent on agriculture and the political, educational and social organisation in which the person lives. The chemical substances should be available in optimal amounts and in an attractive form for metabolism. Nutrition identifies, measures and recommends optimal dietary intakes of the nutrient chemicals in health and disease.

All living creatures require a range of dietary chemicals for metabolism, growth and activity. These chemicals are obtained from a range of sources. The digestion, absorption and metabolism of ingested nutrients are determined in each individual by many factors, including inherited constitution, gender, age, activity, growth, fecundity and lactation. A person needs an adequate energy intake as well as essential nutrients to provide for the needs and control of a genetically determined constitution (genome), which dictates protein and enzyme structure and hence metabolism. This brings nutrition to a central role in the story. The synthesis, maintenance, functioning and control of the protein complex and hence overall metabolism rely on ingested nutrients.

This book is written in the belief that the basis of nutrition lies in molecular biology, genetic makeup, biochemistry and physiology. Even the mysteries of the cooking art are dependent on physicochemical transformations of raw food into available edible food.

The book is divided into seven parts.

Parts I and II deal with food in the community. The first part deals with the historical influences that decide what food a community eats and how it is cooked. This is followed by a description of those environmental factors that can adversely affect food availability. Part II looks at the calculation of how much food a community requires and actually eats. The remaining parts deal with the individual.

Part III looks at how a person metabolises nutrients in an individual manner dictated by genetic makeup, then Part IV, which describes the measurement of the individual nutritional status. Part V

describes the core nutrients, essential, non-essential and non-nutrients, and Part VI their selection for eating, ingestion and subsequent digestion, absorption and metabolism. The final part looks at special nutritional requirements in the normal condition and for some specific diseases.

At the end of each part there are key points for understanding and learning, and thinking points. Important references are listed at end of each chapter.

LITERATURE

The enjoyable and productive analysis of the literature is important, and there are many great books and journals. The following may be of great help and interest to the reader:

- **Biological dictionary**
Oxford Dictionary of Biochemistry and Molecular Biology (1997). Oxford University Press, Oxford.
- **Nutrition reference books**
Sadler, M.J., Strain, J.J. and Caballero, B. (eds) (1999) *Encyclopedia of Human Nutrition*. Academic Press, San Diego, CA.
- **Biochemistry and biology reference books**
Lehninger, A.L. (2000) *Principles of Biochemistry*, 3rd edn. Worth, New York.
- Lodish, H., Berk, A., Zipursky, S.L., *et al.* (eds) (2000) *Molecular Cell Biology*, 4th edn. WH Freeman, New York.
- Jones, L. and Atkins, P. (2000) *Chemistry, Molecules, Matter and Change*. WH Freeman, New York.
- **Journals**
American Journal of Clinical Nutrition, British Journal of Medicine, British Medical Journal, Nutrition Journal, Nutrition Review, New England Journal of Medicine, Science, Annual Review of Nutrition, British Journal of Nutrition, European Journal of Clinical Nutrition, Lancet, Nature and Proceedings of the Nutrition Society.
- **The Internet**
The manner in which written information is handed on is changing rapidly with the availability of the World Wide Web. The printed textbook can be seen as a primer, an introduction at varying levels of sophistication. From this sound

knowledge base educated forays can be made into the Internet for retrieval of information. This book is intended to provide a good basic knowledge for such rewarding searches. It is recommended that this book is supplemented by using Medline and other searches, e.g. Google or Metacrawler. These are a starter pack and it is suggested that readers develop their own list of favourite websites which can be upgraded. The website associated with this book will be kept up to date with new references and links. Navigating around the Internet is facilitated by the use of helpful search engines. Even so, the top 11 search engines only reach 42% of the Web. The search engines can be based on the directory model placing sites into categories and subcategories. This requires human input and has the potential for error. 'Robots', 'spiders' and 'crawlers' navigate thorough the following links pages and return to the database with the result.

Specialist sites dealing with a subject are more specific, e.g. PubMed and Medline. PubMed was developed by the National Library of Medicine and developed in conjunction with publishers of biomedical literature as a search tool for accessing literature citations and linking to full-text journals at websites of participating publishers.

Medline is the National Library of Medicine's premier bibliographic database covering the fields of medicine, nursing, dentistry, veterinary medicine, the health-care system and the pre-clinical sciences. Medline contains bibliographic citations and author abstracts from more than 4000 biomedical journals published in the USA and 70 other countries. The file contains over 11 million citations dating back to the mid-1960s. However, it is important to appreciate that the citations miss the massive literature preceding the 1960s and these have to be traced by traditional library methods. Coverage is world-wide, but most records are from English-language sources or have English abstracts.

WEBSITES OF INTEREST

www.arbor.com Clinical information
www.health.gov.au/pubhlth/strategy/food Australian Government Health

www.bda.uk.com British Dietetic Association
www.eufic.org European Food Information Council
www.europa.eu.int European Community
www.afssa.fr Agence Française de Sécurité Sanitaire des Aliments (France's food safety agency)
www.defra.gov.uk UK Department for Environment and Rural Affairs (DEFRA)
www.foodstandards.gov.uk UK Food Standards Agency
www.nutrition.org.uk British Nutrition Foundation: general food and nutrition information
www.nutrition.org American Society for Nutritional Sciences

www.nutsoc.org.uk Nutrition Society
www.nutrition.org US Nutrition Society
www.usda.gov US dietary advice
www.healthfinder.gov US Department of Health and Human Services
www.who.int World Health Organisation
www.soilassociation.org UK Soil Association
www.medbioworld.com Medical and biosciences journal link system
www.FreeBooks4Doctors.com Free medical texts online

OVERVIEW




Fig. 1.1 Chapter outline.

NUTRIENTS

A definition of a nutrient is any chemical substance that can be used by an organism to sustain its metabolic activities. These metabolic activities in humans and other animals include the provision of energy, growth, renewal of tissues, reproduction and lactation.

The status of some chemical as nutrients is assured: amino acids, carbohydrates, essential fatty acids, vitamins and trace elements. Other chemicals, such as dietary fibre and secondary plant metabolites, are part of the food but may not so readily be classified as nutrients.

ESSENTIAL NUTRIENTS

Some nutrients are essential in that these molecules cannot be synthesised within the body and can only be provided by the diet. Such essential nutrients provide for metabolic processes: vitamins, e.g. ascorbic acid, and trace elements, e.g. selenium; and for structure, e.g. proteins, essential amino acids, vitamins and trace elements.

The science of nutrition is devoted to defining requirements for essential nutrients, amino acids, essential fatty acids, vitamins and trace elements. Recommendations for daily requirements of nutrients made by expert committees are dependent on

diverse factors such as growth, pregnancy and illness and are only carefully determined approximations. Implicit in the requirement for essential dietary constituents is that the human race is not independent of the environment. Thus, people are part of a food chain as recipients or producers of food.

FOOD UTILISATION

An important aspect of nutrition is the availability of dietary sources of nutrients. Causes of dietary deficiencies range from a lack of all nutrients (famine), to absence or omission of individual food items from the diet for social, economic, cultural, religious or personal reasons. Nutrients may not be absorbed from the intestine in some illnesses. A deficiency or excess of overall calorie intake or of individual nutrients may result in nutritional disorders.

Ingested food is broken down to chemicals of a molecular size that is readily absorbed and utilised by the body. The process of absorption is dictated by the nutrient needs of the body and bioavailability value.

Bioavailability is a measure of the relative amount of the ingested nutrient that is absorbed from the intestinal content and reaches the systemic circulation. It is described as the rate and extent to which the nutrient is absorbed and becomes available to the body metabolic processes.

In general, energy-providing nutrients are readily absorbed and have a high bioavailability value, whereas there are more controls on the absorption of micronutrients and their bioavailability value is lower and more variable. Some nutrients, e.g. divalent cations, calcium and magnesium, are only absorbed in an amount necessary for the needs of the body, as an excess can be toxic.

Waste products of metabolism are excreted in breath (carbon dioxide), urine [in general, water-soluble compounds of molecular weight less than 300 Daltons (Da: a unit of measure of atomic and molecular mass)] and bile (in general, fat-soluble, molecular weight more than 300 Da). The accu-

mulation of metabolic waste products has disadvantageous effects on growth, metabolism and well-being.

Nutrients contribute to bodily needs in several ways:

- provision of energy
- creation of structure
- provision of essential small molecular substances that the body cannot synthesise.

Some nutrients are sources of carbon and nitrogen, which pass into the metabolic pool to meet the body's general needs, e.g. carbohydrates, fats and amino acids. Carbohydrates and lipids are necessary fuels for metabolic activity, to a variable extent for structure and in some instances in the synthesis of hormones. The whole range of amino acids is relevant for adequate structural growth. Amino acids may also be utilised at times of nutritional deprivation as a source of energy.

METABOLISM OF NUTRIENTS

The metabolism of nutrients by enzymes is dictated by the individual's gene structure and the induction of enzymes and, in turn, by species and gender. These distinctions are complex, subtle and only partially understood (Figure 1.2).

The nutrient needs and subsequent metabolism by the individual will be influenced by growth in the young and in pregnancy, and modified by disease, drugs, alcohol and tobacco. As the person ages there are important changes in the effectiveness of the absorption and utilisation of the nutrients consumed.

It has been suggested that diet may affect behaviour. In some ancient cultures certain foods were thought to have magical qualities capable of giving special powers of strength, courage, health, happiness and well-being. It is possible that some food constituents may affect the synthesis of brain neurotransmitters and thus modify brain functions. It is therefore important to integrate dietary effects on brain chemicals into our wider understanding of human behaviour.

Until there is an understanding of such nutritional and metabolic mechanisms, confused advice




Fig. 1.2 Metabolism represents a relationship between food intake and the enzymes characteristic of an individual, which are dependent on genetic constitution. Also important are oxygen and water intake and the ability to excrete carbon dioxide, water and metabolic breakdown products.

may be disseminated. Pathology that is provoked by the metabolic response in even a small proportion of the population may erroneously be applied to the population as a whole.

NUTRITIONAL DEFICIENCY AND EXCESS

It is not possible to live for more than 2–3 min without oxygen. However, human life can continue without water for between 2 and 7 days, depending on the ambient temperature and the amount

of exercise being taken. Survival without any food at all, but with water, may be for 60–120 days, depending on the body stores. Females and those with considerable subcutaneous fat generally survive for longer than slightly built males.

There are individual responses to nutritional deficiency and excess, although in general weight increase is associated with overall excessive eating and weight loss is associated with inadequate dietary intake. A failure to provide amino acids, fats, vitamins and trace elements leads to specific lesions which may progress to morbidity and death. There is no nutritional explanation for the apparent synthesis of essential vitamins by some individuals. When scurvy was a problem in the Royal Navy the fleet would come into land every 2 months to take on board provisions specifically to reduce the prevalence of scurvy. However, on the long sea voyages some individuals died quite quickly of scurvy, whereas others appeared to be unaffected. Similarly, the different types of beri-beri suggest individual metabolic responses to thiamin deficiency.

In general, the body copes better with an excess than with a deficiency of nutrients, with the exception of alcohol. Consequently, there is an inclination to eat somewhat more than is required. The body copes less well with an excess of dietary fatty or fat-soluble compounds than an excess of water-soluble dietary components. Fatty nutrients, e.g. lipids, are stored and, if the storage load becomes excessive, then the body is disadvantaged. Water-soluble dietary excesses may be excreted, metabolically modified or unchanged in the urine. Excess dietary protein and lipid intakes may be metabolically modified to structural or storage tissues, or possibly be excreted in bile and urine. The variable pathways whereby these processes occur will be determined by the range of variants of the same enzyme (isoenzymes) that forms the metabolic enzyme structure of the individual.

THINKING POINT

What are the criteria for classifying a dietary chemical as a nutrient?